

[Get a Quote](#)

## Overview

The Cisco SFP-H10GB-CU1M is a 1 meter long 30 gauge (30AWG) copper cable with two 10GBase SFP+ fiber optic connectors, one on each end. This type of configuration allows for excellent EMI protection and reliable performance. DAC cables are energy efficient and offer low latency connection options for many 10-Gigabit Ethernet applications.

## Quick Specification

Part Number:	SFP-H10GB-CU1M
Connectors:	SFP+-SFP+
Rate Category:	10GBase-10GBase
Cable Type:	Twinax (DAC)
Length:	1 meter
Active/Passive:	Passive

### Platform Support

**Cisco SFP+ modules are supported on a wide range of Cisco switches and routers:**

<ul style="list-style-type: none"> <li>• 7600 Series Router</li> <li>• ASR 901</li> </ul>	<ul style="list-style-type: none"> <li>• Catalyst 4500 and 4500-X Series Switches</li> <li>• CRS Router</li> </ul>
<ul style="list-style-type: none"> <li>• ASR 903</li> </ul>	<ul style="list-style-type: none"> <li>• MDS 9000</li> </ul>
<ul style="list-style-type: none"> <li>• ASR 1000 Series Router</li> <li>• ASR 9000 Series Router</li> <li>• ASR 9000v Series Router</li> </ul>	<ul style="list-style-type: none"> <li>• ME 4500</li> <li>• ME 4900NCS 6000 Series Router</li> <li>• Nexus 2000, 3000, and 4000 Series Switches</li> </ul>
<ul style="list-style-type: none"> <li>• Catalyst 2350 and 2360 Series Switches</li> <li>• Catalyst 2960-S, 2960-X, and 2960-XR Series Switches</li> <li>• Catalyst 3100 Blade Switches</li> <li>• Catalyst 3560, 3560-E, and 3560-X Series Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Nexus 9000 and 9500 (modular) Series Switches</li> <li>• RF Gateway Series</li> <li>• SCE 8000</li> <li>• Shared Port Adapter (SPA)</li> </ul>

- |   |   |
|---|---|
| <ul style="list-style-type: none"><li>• Catalyst 3750, 3750-E, and 3750-X Series Switches</li><li>• Catalyst 3850 Series Switches</li></ul> | <ul style="list-style-type: none"><li>• Unified Computing System (UCS) Switches</li></ul> |
|---|---|

## Product Details:

### The Front Panel:



Get more information:

Do you have any question about the SFP-H10GB-CU1M?

Contact us now via e-mail: [info@hi-network.com](mailto:info@hi-network.com)

## Specific Data Sheet:

General	
Network Cable Type	Direct attach cable
Technology	Twinaxial
American Wire Gauge (AWG)	30
Length	3.3 ft
Connectivity	
Connector	SFP+

Connector (Second End)	SFP+
Compatibility Information	
Designed For	Cisco Catalyst 2960-24LC-S, 2960-24PC-L, 2960-24PC-S, 2960-24TC, 2960-24TC-L, 2960-24TC-S, 2960-48PST-L, 2960-48PST-S, 2960-48T, 2960-48TC, 2960-48TC-L, 2960-48TC-S, 2960-8TC, 2960-8TC-S, 2960G-24TC, 2960G-48TC, 2960G-8TC, 2960S-24PD-L, 2960S-24PS-L, 2960S-24TD-L, 2960S-24TS-L, 2960S-24TS-S, 2960S-48FPD-L, 2960S-48FPS-L, 2960S-48LPD-L, 2960S-48LPS-L, 2960S-48TD-L, 2960S-48TS-L, 2960S-48TS-S   Cisco UCS 6140XP Fabric Interconnect

## Want to Buy?

Order Now

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales](#) or [Support](#)

## Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: [info@hi-network.com](mailto:info@hi-network.com)

Skype: echo.hinetwork

